






Choose matching abutment

Cover screw in place


The presentation that follows lists only one combination of parts. Obviously the clinical situation may call for substitution of another part on this slide











Prosthetic instruments needed




Assemble screw driver with Ratchet Adapter

Insert assembled screw driver into cover screw









Insert the Impression Transfer into the implant ensuring the appropriate orientation


Tighten the screw with the driver assembly with light finger force













Inject impression material around the abutment




Insert tray with impression material



Seat impression to capture dental arch






Remove the impression from the mouth when material has set












Healing abutment in place



Insert Impression Transfer into implant level analog and tighten fixation screw with



UCLA Abutment/Analog assembly inside impression



level analog

Apply soft tissue replica material around implant level analog


Pour dental stone into impression







Remove model from impression and loosen the fixation screw of the impression transfer by turning screw driver counter clockwise


Remove impression transfer from analog







Insert screw driver assembly into fixation screw in the UCLA abutment



Insert the UCLA abutment into the implant level analog ensuring the appropriate orientation. Hand tighten the fixation screw within the UCLA abutment



Create a wax up of the desired shape of the abutment by subtracting or adding to the resin of the UCLA abutment

Cast and finish custom UCLA abutment






Seal the screw opening of the UCLA Abutment


Apply die spacer and wax up undercasting on the UCLA Abutment




Cast wax up using a conventional technique and insert it in the casting on the stone model

Stack and fire the Ceramic in the usual manner










Insert the abutment into implant orienting it according to the instructions from the laboratory and tighten with driver

Insert the hex driver into the 30Ncm torque ratchet

Insert driver into the abutment screw tighten the screw until torque of 30 Ncm is reached and the head of the ratchet releases









Cement restoration on abutment

